

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S74 S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
		(validat\$3 and (storage with configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:28
		S15 and (validat\$3 and (storage with configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:41
S1	52	validat\$3 near3 (network with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:26
S2	18	S1 and @ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:12
S3	339351	(storage with network) or SAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:13
S4	21714551	@ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:13
S5	1492	validat\$3 near3 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:13
S6	246	S3 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:13

S7	6	validat\$3 near3 (change with command\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:28
S8	0	S7 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:27
S9	1076	(change with command) and (network with configur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:29
S10	0	S9 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:29
S11	0	S9 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:29
S12	164	S9 and @ay="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:30
S13	1919	EMC.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:34
S14	3	S13 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:30
S15	1719	S13 and @ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:35
S16	23	S15 and (validat\$3 and (storage with configur\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:36

S17	5	("5870537" "6092066" "6304980" "6484187" "6526419").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 15:37
S18	905	(dynamic\$3 near2 allocat\$3) same (I/O or storage or (EMC.as.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:25
S19	99	(dynamic\$3 near2 allocat\$3) same (I/O or storage or (EMC.as.)) and validat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:29
S20	3	(dynamic\$3 near2 allocat\$3) same (I/O or storage or (EMC.as.)) same validat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:25
S21	21714557	@ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:25
S22	76	S21 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:25
S23	2	S21 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:26
S24	74	S22 not S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 07:26
S25	8	(dynamic\$3 near2 allocat\$3) same (I/O or storage or (EMC.as.)) and (validat\$3 with command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:29
S26	7	S25 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:31

S27	13	validat\$3 near3 storage\$2 near3 command\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:34
S28	12	S27 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:31
S29	0	(validat\$3 near3 LUN) and (storage\$2 near3 command\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:34
S30	50	validat\$3 same (storage\$2 near3 command\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:35
S31	35	S30 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:41
S32	2113244	(I/O or storage or (EMC.as.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:41
S33	8415	(validat\$3 or check\$4 or chang\$3) same ((network with configurat\$3) or (allocat\$4 with command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:48
S34	5271	S33 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:43
S35	3300	S34 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:44
S36	248	S35 and concurrent and valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:44

S37	225502	current with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:44
S38	159	S37 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:45
S39	455	(validat\$3) same ((network with configurat\$3) or (allocat\$4 with command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:48
S40	353	S39 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:48
S41	172	S40 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:48
S42	51	S41 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:53
S43	21	(assign and unassign) with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:53
S44	18	S43 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:53
S45	17	S44 and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:53
S46	2	("4926322" "5704055").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:05
S47	1	("6026462").URPN.	USPAT	OR	OFF	2005/04/08 08:05

S48	7	("5053951" "5428758" "5890014" "5933855" "6026462" "6058455" "6092169").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:17
S49	552	concurrent\$3 and ((dynamical\$3 with allocat\$4) same (storage or I/O or SAN or (EMC.as.)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:19
S50	544	S49 and (validat\$3 or check\$3 or determin\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:19
S51	544	S49 and S50	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:21
S52	349	S51 and S21	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/08 08:22
S53	3085	validat\$3 and (storage with configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:52
S54	21714557	@ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:29
S55	1681	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:30
S56	211272	current with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:30
S57	433	S55 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:40
S58	1326	(allocat\$4 or configur\$4) with (storage near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:41
S59	6308	S58 adn S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:41

S60	23	S58 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:41
S61	31	validat\$3 with (storage near3 configur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:49
S62	0	validat\$3 with (storage near3 configur\$4 near3 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:49
S63	14	S61 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 10:49
S64	10	validat\$3 near3 configur\$4 near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:54
S65	6	S64 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:52
S66	4	S65 and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:53
S67	761	validat\$3 and (configur\$4 near3 command) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:55
S68	479	S67 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:55
S69	179	S68 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:00

S70	1919	EMC.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:00
S71	20	validat\$4 near3 configur\$6 near3 command\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
S72	0	S71 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
S73	1345	validat\$4 near3 command\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
S74	26	S73 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:01
S75	23	S74 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:06
S76	5108	concurrent near3 (user or admin\$5 or access\$4 or configur\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:07
S77	10428	concurrent\$3 near3 (user or admin\$5 or access\$4 or configur\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:07
S78	105	S77 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 11:07
S79	96	S78 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:46

S80	6372	configur\$4 near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S81	21714557	@ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:46
S82	3839	S80 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S83	2279602	storage or SAN or (storage near3 network) or I/O	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S84	2837	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S85	3534748	validat\$4 or determin\$4 or check\$4 or certif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S86	2668	S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S87	1669	allocat\$4 near2 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S88	1091	S87 and (SAN or (storage near3 network) or (EMC.as.) or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:52
S89	787	S88 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:52

S90	724	S89 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:52
S91	884	assign near2 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:53
S92	28	S91 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:53
S93	7312	(validat\$4 or check\$4 or certifi\$4) and ((configur\$4 or re\$1configur\$4) near3 (storage or I/O or (EMC.as.) or SAN)) and (command\$2 or request\$4 or instruct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:43
S94	429	(validat\$4 or check\$4 or certifi\$4) same ((configur\$4 or re\$1configur\$4) near3 (storage or I/O or (EMC.as.) or SAN)) and (command\$2 or request\$4 or instruct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:44
S95	169	(validat\$4 or check\$4 or certifi\$4) same ((configur\$4 or re\$1configur\$4) near3 (storage or I/O or (EMC.as.) or SAN)) same (command\$2 or request\$4 or instruct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:44
S96	21714557	@ay<"2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:44
S97	119	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:44